

BATERÍA PARA TPH900

AIRBUS
DEFENCE & SPACE

Batería para TPH900

➢ Características básicas

- Células de Lithium-Ion
- Capacidad: 3920 mAh
- Peso: 110 gr. aprox.
- Rango de temperaturas
- Carga: 0 a +45°C
- Descarga: -20 a +60°C
- Dimensiones: 116*52*19 mm. aprox.





➢ Construcción

- La batería está compuesta de:
- 2 células de Lithium-Ion ensambladas en paralelo.
- Exterior de plástico, equipado con 2 zonas de 3 contactos, y un sistema de anclaje
- Un módulo que incluye un sistema protección (PCM).

This document is not contractual. Subject to change without notice. Copyright © 2014 Airbus Defence and Space. All rights reserved. TETRAPOL® is a registered trademark of Airbus Defence and Space.

AIRBUS DEFENCE & SPACE

The reproduction, distribution and use of this document as well as the communication of its contents to others without explicit authorisation is prohibited. Offenders will be held liable for the payment of damages. All rights reserved in the event of the grant of a patent, utility model or design.



- **Sistema de protección**

La batería dispone de un circuito de protección interno denominado PCM (Protection Circuit Module). El circuito tiene las siguientes funciones:

1- Proteger a la batería frente a un mal uso, y asegurar las funciones de seguridad.

2- Monitorizar el estado de la batería con un Sistema de medición, que permite informar al TPH900 o al cargador a través de un interface de un cable.

This document is not contractual. Subject to change without notice. Copyright © 2014 Airbus Defence and Space. All rights reserved. TETRAPOL® is a registered trademark of Airbus Defence and Space.

The reproduction, distribution and use of this document as well as the communication of its contents to others without explicit authorisation is prohibited. Offenders will be held liable for the payment of damages. All rights reserved in the event of the grant of a patent, utility model or design.